





Pacific Energy wood stoves and fireplace inserts are easy to light, easy to use, economical and clean-burning. Lower your heating costs with one of the most efficient and beautiful wood stoves and inserts available today.

With three sizes of free-standing wood stoves, Pacific Energy has a solution for your heating needs. Robust heat is matched with decorating options, in both pedestal and classic leg styles and a variety of doors and industry-leading porcelain color options.

For those with an existing fireplace, choose from three sizes of fireplace inserts and striking design options to warm your home beautifully.

## **SMALL**

For heating up to 1500 sq ft. \*

## **MEDIUM**

For heating up to 2000 sq ft. \*

## **LARGE**

For heating up to 3000 sq ft. \*

Heating capacity will vary depending on type of wood, floor plan, house layout, heat loss of home, and geographical location.

### **CONTENTS**

	ient Wood Heating is good for	
Vista	a Classic	6
Vista	1	7
\$pec	ctrum Classic	8
\$pec	ctrum	9
\$upe	er Step Top	10
\$upe	er 27	11
Flusio	on	12-13
\$um	mit Classic	14
\$um	mit	15
\$upe	er Insert	16
Vista	a Insert	17
\$um	mit Insert	17
Feat	ures, Choices & Options	18-19
A His	story of Innovation	20-21
Porc	celain – The Classic Touch	22-23
Floor	r Protectors	24
Minir	mum Clearances	25
Dime	ensions and Specifications	26
Prod	luct Overview	27



# Efficient Wood Heating is good for the Environment

Wood heat is a responsible choice and is a renewable and sustainable fuel source which does not contribute to global warming. When wood is burned as a substitute for fossil fuels, the result is a net reduction in CO2 emissions.

By choosing a Pacific Energy woodstove and responsible wood heating, you are making a difference. For over 30 years, a strong dedication to the environment and woodheat science has made Pacific Energy a recognized leader in hearth product innovation and clean burn technology. Our unique firebox design and stainless steel encapsulated baffle system burn with results meeting and exceeding EPA and CSA Standards. Improving environmental performance and energy efficiency continues to be Pacific Energy's primary focus, giving you piece of mind that heating your home with a Pacific Energy Wood Stove or Insert means choosing a green home heating solution.







The Vista Classic – the elegant, yet powerful heating choice for spaces up to 1500 square feet. Classic good looks in a range of durable and beautiful Porcelain Enamel colours along with your choice of door, leg and trivet finishes.





Don't be fooled by its modest dimensions. The Vista is designed to efficiently heat smaller homes, yet is big on performance, incorporating many of the outstanding features of the larger Super Series woodstoves - powerful heat output, high efficiency rating, and user friendly operation.



<sup>\*</sup> Heating capacity will vary depending on type of wood, floor plan, house layout, heat loss of home, and geographical location.





The Spectrum Classic, featuring the proven Super Series fire-box, delivers easy-to-light, easy-to-load clean-burning performance. Elegantly clad in a choice of nine colors of rich porcelain enamel, the Spectrum Classic allows fantastic design control with a selection of leg, door, and trivet finishes.





Sitting atop a pedestal base, the Spectrum wood stoves are beautifully finished with a rich porcelain enamel, and offer a choice of arched or radiant doors and trivets. User friendly, one touch operation and clean, efficient wood heat make the Spectrum an excellent choice for heating up to 2000 square feet.



 $<sup>^{\</sup>star}$  Heating capacity will vary depending on type of wood, floor plan, house layout, heat loss of home, and geographical location.



Built around Pacific Energy's industry-leading Super Series firebox, The Super Step Top boasts a heavy dual level cooktop for convenient use of surface heat. Available with pedestal or legs, the Super Step Top delivers real heat power with Pacific Energy's renowned clean burning technology.





Our most popular model, the Super 27 is the epitome of industry-leading innovation, giving you easy lighting, easy loading and effective heating in a mid-sized stove. Available with pedestal or legs and a variety of door finishes, the Super 27 delivers years of clean-burning and economical comfort.



<sup>\*</sup> Heating capacity will vary depending on type of wood, floor plan, house layout, heat loss of home, and geographical location.



European inspired design with Pacific Energy's proven firebox power, The Fusion brings exceptional wood heat to non-traditional spaces.





Form meets function - complete with Stainless Steel or Metallic Black finish, The Fusion stands taller than most woodstoves with the firebox positioned above the uniquely styled wood storage chamber base, giving you more view of the fire through its low-glare glass



Alcove setting above is constructed with non-combustible materials.

<sup>\*</sup> Heating capacity will vary depending on type of wood, floor plan, house layout, heat loss of home, and geographical location.





The Summit Classic Wood Stove has the power to keep you warm and comfortable throughout the night. With nine porcelain enamel colors, door and leg options, and three trivet finishes to select from, the Summit Classic is the ultimate choice in big heat for up to 3000 square feet.





A Summit loaded with wood will keep you warm for up to 10 hours, thanks to Extended Burn Technology (EBT). A Patented innovation available only on Pacific Energy Summit Wood Stoves and Summit Inserts, EBT regulates combustion air flow, for a longer burn and more fuel economy.

Crafted for maximum heating capacity, maximum burn time and maximum view of your wood fire, the Summit answers the call for a highly effective wood stove for bigger spaces and colder, longer nights. Available with pedestal or legs and a variety of door finishes, the Summit will welcome you in the morning with a glowing fire.




<sup>\*</sup> Heating capacity will vary depending on type of wood, floor plan, house layout, heat loss of home, and geographical location.



Pacific Energy's family of wood burning inserts allows you to enjoy efficient heating without losing the ambience of an open fire. Transform your drafty fireplace in an easy-to-light, easy-to-load reliable source of heat with the convenience of one-touch adjustable temperature control.



Choose from three sizes of fireplace inserts and customizable design options to warm your home beautifully.



SMALL

For heating up to 1500 sq ft. \*



<sup>\*</sup> Heating capacity will vary depending on type of wood, floor plan, house layout, heat loss of home, and geographical location.

Standard Features	Choices	Options		S /	Second Se		SOMME CASSI			<b>E</b>
_	-	_	2		Secretary of the second of the					INSTALL STATES
FEATURES			NS /					MSW/	SUPER MERIT	
Reliable, durable non-cata	alytic technology									
User friendly, one-touch op	eration									
Air wash system for supe	er clean ceramic gl	ass								
Easy to use ash disposal s	system									
High-tech multi-port com	bustion air injectio	n system								
Inside and outside comb	ustion air capable									
Floating firebox for extend	ed stove life									
Easy and safe front to ba	ck fuel loading									
Porcelain Enamel finish										
Rich Metallic Black finish	with black trim									
Heavy plate-steel top										
Heavy plate-steel top und	der decorative top									
Steel baffle and 304 Stair	nless Steel insulation	on cover								
304 Stainless Steel baffle	e, insulation cover,	rails and flame shield								
Boost air for easy lighting										
Porcelain Finish Pedestal I	Base									
Extended Burn Technolog	gy (EBT)									
80 cfm temperature actu	ated variable spee	d blower								
160 cfm temperature act	uated variable spe	ed blower/s								
125 cfm temperature act	uated variable spe	ed								
Mobile home approved										
Screen doors										
Mantel shield										
CHOICES										
Metallic Black Pedestal B	ase									
Legs available in four finish	nes									
Arched Door available in fo	our finishes									
Radiant Door available in f	four finishes									
Classic Trivet available in t	hree finishes									
Finished in Brushed Stainl	ess Steel or Metalli	c Black								
Embossed surround, stan	dard size									
Flat surround, oversize										
Surround trim available in	3 finishes (Gold, Ni	ckel, Metallic Black)								

### **CHOICES**

### 9 Porcelain Colours and 3 Trivet finishes for all Classic Models







COFFEE BEAN BROWN TITANIUM





**IVORY** 





FOREST GREEN\*







BLACK PEARL \* Available as premium colour

4 Finishes for Doors and Legs

FRONY

All Pacific Energy Wood Stoves (except The Fusion) are customizable in your choice of door and leg finishes.

Available in Gold, Nickel, Metallic Black and Brushed Nickel.

Doors for the insert models are also available in these four finishes.

Two door styles, Arched and Radiant, are available only for the Spectrum and Super series.



The FUSION is finished in your choice of Brushed Stainless Steel for that contemporary style or the sleek look of Metallic Black.

### **OPTIONS**

### **Screen Doors**

Expand your burning season with a Screen Door, sized to fit all Pacific Energy Wood Stoves and Wood Inserts.

Black Metallic finish with double handle design for easy placement and removal. Existing door may remain in place during Screen Door use.

### Ash System

Ash disposal is clean and easy with a removable ash drawer and is a standard feature on all the Classic models and The Fusion.

It is available as an optional extra for the VISTA, SUPER 27, SUPER STEP TOP and SUMMIT.

### **Blowers**


Temperature actuated 125 cfm variable speed blowers are available for all stove models. (Standard feature on inserts).





ROYAL BLUE\*
























For more than 30 years Pacific Energy has challenged, then exceeded the traditional assumptions about wood heat. Our history of innovation is evident in our industry-leading features, our choice of the finest materials, our close eye on environmental responsibility, and our commitment to creating efficient and convenient appliances that fit your style and warm your life.

The result is a series of industry firsts, accomplished through our on-going mission to provide you with the best possible wood burning technology.

### First Glass Air Wash System

- because a beautiful fire should be seen

### First Floating Firebox Design

longer stove life with unrestricted thermal expansion

### First Air Tight Ash Removal System

- for quick, clean maintenance of your stove

### First Extended Burn Technology

- maximum efficiency for longer burns

Pacific Energy's **Floating Firebox** eliminates fatigue caused by expansion and contraction during heating and cooling. Many of the firebox components are manufactured with corrosion-resistant 304 Stainless Steel\*. This combination of innovation and attention to detail dramatically extends the life of your appliance.



# The PACIFIC ENERGY Integrated Combustion System


- Boost Air
- 2 Main Combustion Air
- 3 Air-Wash System
- 4 Secondary Combustion Air
- 5 Radiant Heat
- 6 Convection Heat


### Pacific Energy's patented

**Extended Burn Technology** is available exclusively on Summit Series wood stoves and inserts. EBT regulates the flow of combustion air throughout the burn cycle and increases burn time. With EBT, your Summit wood stove or insert will burn longer between loads and give you more efficient fuel consumption.

US Patent #6,041,770









We combine finely milled silica glass with colour oxides and water. The precise combination of these ingredients creates the perfect consistency for spraying on our metal stove components.



Our stove parts are fabricated inhouse from premium low carbon steel that is cleaned, then phosphate coated to inhibit oxidation.



A heavy layer of porcelain enamel is sprayed on the components. Over-spray is captured in a closed loop system and recycled.



Next, the coated components are hung on a conveyor and enter the forced air dryer to remove moisture.



The components then enter a flow-through furnace where temperatures in the 1500°F range bind steel and enamel to create a new compound – Porcelain Steel.






MEMBER OF PORCELAIN ENAMEL INSTITUTE

## **FLOOR PROTECTOR**


The charts shown below give the required dimensions of floor protector sizes based on various ap-

pliance installations.

#### STRAIGHT HEARTH



#### **CORNER HEARTH**



# **CANADA**

Non-combustible ember protection must be used. (Check local building codes for acceptable construction materials.)

This protection must be under the stove and must extend 18" on the firing side and 8" to the other sides.

STRAIGHT HEARTH	VISTA / VIS	TA CLASSIC	SUPER 27 / STEP	TOP / SPECTRUM	SUMMIT / SUI	MMIT CLASSIC	FUSION		
(Extended to wall)	Α	В	Α	В	Α	В	Α	В	
Minimum	40"	43 1/4"	40"	50 1/2"	41 1/2"	51 1/8"	38 1/4"	50 1/2"	
Residential, single wall, vertical connector	40"	50 1/4"	40"	54 1/2"	41 1/2"	52 1/8"	38 1/4"	56"	
Residential, single wall, horizontal connector	40"	48 1/4"	40"	50 1/2"	41 1/2"	53 1/8"	38 1/4"	52"	
Residential, double wall, vertical connector	40"	42 1/4"	40"	47 1/2"	41 1/2"	49 1/8"	38 1/4"	49"	
Residential, double wall, horizontal connector	40"	42 1/4"	40"	47 1/2"	41 1/2"	53 1/8"	38 1/4"	49"	
Alcove, double wall, connector	40""	46 1/4"	40"	52 1/2"	41 1/2"	52 1/8"	38 1/4"	54"	
Mobile home	40"	47 1/4"	40"	50 1/2"	41 1/2"	50 1/8"	38 1/4"	52"	

CORNER HEARTH	V	ISTA / VIS	TA CLASS	SIC	SUPER	27 / STEP	TOP / SPE	CTRUM	SUMMIT / SUMMIT CLASSIC				FUSION			
(Extended to wall)	Α	С	D	Е	Α	C	D	Е	Α	C	D	Е	Α	C	D	E
Minimum	40"	58 1/8"	55 1/4"	27"	40"	63 5/8"	59 1/8"	30 7/8"	41 1/2"	63 5/8"	59 1/8"	30 7/8"	38 1/4"	64 7/8"	59 3/8"	32 3/8"
Residential, single wall, vert/horz connector	40"	60 7/8"	57 1/4"	29"	40"	67 7/8"	62 1/8"	33 7/8"	41 1/2"	61"	57 3/4"	28 3/8"	38 1/4"	69 1/2"	62 5/8"	35 5/8"
Residential, double wall, vert/horz connector	40"	51"	50 1/4"	22"	40"	58"	55 1/8"	26 7/8"	41 1/2"	61"	57 3/4"	28 3/8"	38 1/4"	59 5/8"	55 5/8"	28 5/8"
Mobile home	40"	58 1/8"	55 1/4"	27"	40"	63 5/8"	59 1/8"	30 7/8"	41 1/2"	62 3/8"	58 3/4"	29 3/8"	38 1/4"	65 1/4"	59 5/8"	32 5/8"

## USA

Non-combustible ember protection must be used. (Check local building codes for acceptable construction materials.)


This protection must be under the stove and must extend 16" to the front and 8" to the sides of the fuel loading door opening.


This protection is also required under the chimney connector and 2" beyond each side.


STRAIGHT HEARTH	VISTA / VIS	STA CLASSIC	SUPER 27 / STEP	TOP / SPECTRUM	SUMMIT / SUI	MMIT CLASSIC	FUSION		
(Extended to wall)	Α	В	Α	В	Α	В	А	В	
Minimum	32"	33 1/4"	34"	40 1/2"	36"	40 1/2"	34"	40 1/2"	
Residential, single wall, vertical connector	32"	48 1/4"	34"	52 1/2"	36"	49 1/2"	34"	54"	
Residential, single wall, horizontal connector	32"	46 1/4"	34"	48 1/2"	36"	50 1/2"	34"	50"	
Residential, double wall, vertical connector	32"	40 1/4"	34"	45 1/2"	36"	46 1/2"	34"	47"	
Residential, double wall, horizontal connector	32"	40 1/4"	34"	45 1/2"	36"	50 1/2"	34"	47"	
Alcove, double wall, connector	32"	44 1/4"	34"	50 1/2"	36"	49 1/2"	34"	52"	
Mobile home	32"	45 1/4"	34"	48 1/2"	36"	47 1/2"	34"	50"	

CORNER HEARTH	V	VISTA / VISTA CLASSIC				SUPER 27 / STEP TOP / SPECTRUM				SUMMIT / SUMMIT CLASSIC				FUSION			
(Extended to wall)	Α	C	D	E	Α	C	D	E	Α	С	D	E	Α	C	D	E	
Minimum	32"	53 1/4"	50 3/8"	25"	34"	49 7/8"	47 3/8"	23 1/4"	36"	53 1/4"	50 3/8"	25"	34"	515/8"	48 1/2"	24 1/2"	
Residential, single wall, vert/horz connector	32"	58 7/8"	53"	30 3/8"	34"	65 7/8"	58 3/8"	34 1/4"	36"	59"	54 3/8"	29"	34"	67 1/2"	59 3/4"	35 3/4"	
Residential, double wall, vert/horz connector	32"	49"	46"	23 3/8"	34"	55 5/8"	51 3/8"	27 1/4"	36"	59"	54 3/8"	29"	34"	57 5/8"	52 3/4"	28 3/4"	
Mobile home	32"	56 1/8"	51"	28 3/8"	34"	61 1/4"	55 3/8"	31 1/4"	36"	60 3/8"	55 3/8"	30"	34"	63 1/4"	56 3/4"	32 3/4"	

# **WOOD STOVES – MINIMUM CLEARANCES TO COMBUSTIBLES**







		_				_
	1 10 11		. W. I	 	1.1	- 1
9		_	1.4	 	A W	-

# **SINGLE WALL CONNECTOR\***

\* Pipe shield may be required - consult local codes

		Straight Installation Vertical Connector				Straight Installation Horizontal Connector				Cor Install		Alcove Installation			
MODEL	From top of stove to ceiling	Α	В	C	D	Α	В	С	D	E	F	G	Н	I	J
VISTA / VISTA CLASSIC	58"	15"	14"	20 3/4"	26"	13"	14"	18 3/4"	26"	10"	22 5/8"	N/A	N/A	N/A	N/A
SUPER 27 / SPECTRUM	56"	12"	18"	22"	30"	8"	14"	18"	26"	11"	25"	N/A	N/A	N/A	N/A
SUMMIT / SUMMIT CLASSIC	54"	9"	12"	17 1/2"	24 3/4"	10"	12"	18 1/2"	24 3/4"	4"	18 3/4"	N/A	N/A	N/A	N/A
FUSION	50 1/2"	13 1/2"	19"	22"	30"	9 1/2"	15"	18"	26"	11 1/4"	25"	N/A	N/A	N/A	N/A
SUPER STEP TOP	52 1/2"	13 1/2"	18"	22"	30"	9 1/2"	14"	18"	26"	12"	25"	N/A	N/A	N/A	N/A

RESIDENTIA	L	D	<b>OUB</b>	LE W	VALL	. <b>CO</b>	NNE	CTO	R						
Straight Installation Straight Installation Corner  Vertical Connector Horizontal Connector Installation										Alcove Installation **					
MODEL	From top of stove to ceiling	Α	В	C	D	Α	В	С	D	E	F	G	Н	I	J
VISTA / VISTA CLASSIC	58"	7"	12"	12 3/4"	24"	7"	12"	12 3/4"	24"	3"	15 5/8"	11"	12"	16 3/4"	24"
SUPER 27 / SPECTRUM	56"	5"	14"	15"	26"	5"	14"	15"	26"	4"	18"	10"	16"	20"	28"
SUMMIT / SUMMIT CLASSIC	54"	6"	12"	14 1/2"	24 3/4"	10"	12"	18 1/2"	24 3/4"	4"	18 3/4"	9"	15"	17 1/2"	27 3/4"
FUSION	50 1/2"	6 1/2"	15"	15"	26"	6 1/2"	15"	15"	26"	4 1/4"	18"	11 1/2"	17"	20"	28"
SUPER STEP TOP	52 1/2"	6 1/2"	14"	15"	26"	6 1/2"	14"	15"	26"	5"	18"	11 1/2	16"	20"	28"


<sup>\*\*</sup> Please refer to manuals for minimum height and maximum depth of alcove.

# MOBILE HOME DOUBLE WALL CONNECTOR


				<b>nstallatio</b> Connecto			t <mark>raight lı</mark> orizontal			Cor Install		Al	cove Ins	tallation	
MODEL	From top of stove to ceiling	Α	В	С	D	Α	В	С	D	Е	F	G	Н	_	J
VISTA / VISTA CLASSIC	58"	12"	12"	17 3/4"	24"	N/A	N/A	N/A	N/A	8"	20 5/8"	N/A	N/A	N/A	N/A
SUPER 27 / SPECTRUM	56"	8"	16"	18"	28"	N/A	N/A	N/A	N/A	8"	22"	N/A	N/A	N/A	N/A
SUMMIT / SUMMIT CLASSIC	54"	7"	14"	15 1/2"	26 3/4"	N/A	N/A	N/A	N/A	5"	19 3/4"	N/A	N/A	N/A	N/A
FUSION	50 1/2"	9 1/2"	17"	18"	28"	N/A	N/A	N/A	N/A	8 1/4"	22"	N/A	N/A	N/A	N/A
SUPER STEP TOP	52 1/2"	9 1/2"	16"	18"	28"	N/A	N/A	N/A	N/A	9"	22"	N/A	N/A	N/A	N/A

# **WOOD INSERTS – MINIMUM CLEARANCES TO COMBUSTIBLES**

MODEL	Α	В	C
VISTA INSERT	9"	29 1/2"	9"
VISTA INSERT (With Mantel Shield)	9"	18 1/2"	9"
SUPER INSERT	6 1/2"	30"	20 1/2"
SUPER INSERT (With Mantel Shield)	6 1/2"	21"	20 1/2"
SUMMIT INSERT	8 1/2"	21"	8 1/2"




### **PACIFIC ENERGY - DIMENSIONS AND SPECIFICATIONS**



<sup>\*</sup> Heating capacity will vary depending on type of wood, floor plan, house layout, heat loss of home, and geographical location.

### **PACIFIC ENERGY - PRODUCT OVERVIEW**





Further proof of our commitment to quality and innovation is in the limited Lifetime Warranty on all Pacific Energy products. We know of no better guarantee in the hearth industry – for your assurance of warmth, and your peace of mind.







PACIFIC ENERGY FIREPLACE PRODUCTS LTD.

www.pacificenergy.net 1 888 223-0088